

Hot water for the whole pack

Energy efficient
Saves money
Solar ready







UP TO
71%
CHEAPER*
TO RUN

* compared to electric hot water systems



WULFE
SMARTER HOT WATER TECHNOLOGY

- 
NO REBATE PAPERWORK
 Patented activation app makes claiming rebates quick and easy
- 
QUALITY MANUFACTURE
 Designed and engineered for rugged Australian conditions
- 
SOLAR READY
 Enjoy free hot water powered by your solar PV system
- 
DUAL ANODES
 Twice the corrosion protection and reduced maintenance costs
- 
5 YEAR WARRANTY
 Brand new replacement if the tank or mechanical components fail



Wulfe heat pumps – energy efficient water heater

Wulfe® hot water heaters use heat pump technology that offers up to 71%* energy savings compared to conventional water heaters. Produced by the world's largest appliance manufacturer, they have been proven in temperatures as low as -7°C.

The system has been certified by the Australian Government Clean Energy Regulator, which allows customers to claim government rebates and reduces their investment.

The Wulfe HP series has an advanced control system that is easy to use and can be programmed to maximise the use of solar power systems while ensuring a constant supply of hot water. It also features an automatic sanitisation function to keep your family safe from waterborne bacteria.

With its quiet operation, smart controls, UV protection, and government rebates, Wulfe is the perfect choice for an energy-efficient home.



UP TO
71%
CHEAPER*
TO RUN

* compared to electric hot water systems

Save more with smarter water heating technology



ECO
POWER



LOW
NOISE



SMART
BOOST



VACATION
MODE



HIGH
EFFICIENCY



ANTI
FREEZE



FROST
PROOF



OVERHEAT
PROOF



LEGIONELLA
PROOF



MICRO
CHANNEL

Enjoy free hot water – powered by your solar PV system

Wulfe is the perfect partner for your roof top solar system.

Store up to 16kW** of heat energy in a Wulfe heat pump tank ready to use when the sun has gone down.

Whether you have already installed solar power, or are considering it in the future, Wulfe is the clear choice to ensure a low energy home.


Our advanced control system is equipped with an automatic timer that allows you to maximise solar power utilisation and a second timer allows for an early morning boost to ensure you never run out of hot water.

* as determined by Australian Standard AS/NZS 4234:2008


** based on the energy required to raise 250L of water from an inlet temperature of 10°C to 65°C final temperature

Model	A	B	C	D
W200PW-1	629	270	980	1692
W250PW-1	629	270	1275	1987

Heat Pump Model	W200PW-1	W250PW-1
Nominal tank volume (L)	200	250
Power supply (V/Hz/Phase)	220-40/50/1	
Insulation protection	IPX4	
Relief valve pressure (kPa)	700	
Tank material	Vitreous enamel coated steel	
Plumbing connection size	G3/4" F	
Corrosion protection	Sacrificial anode	
Average heat pump input power (W)	495	
Max. heat pump input power (W)	865	
Auxiliary heating input power (W)	1500	
Max. input power/current (W/A)	2365/9.85	
Refrigerant (type/quantity)	R134a/0.9kg	
Default temp. setting (OC)	55	
Temperature setting range (OC)	35 - 75	
Minimum ambient temperature (OC)	-7	
Noise level (dBA)	46	
Unit weight (net/gross kg)	91/103	102/115
Product dimensions (D*W*H mm)	600x629x1670	600x629x1965
Packing dimensions (D*W*H mm)	735x695x1940	735x695x2250



- All pictures shown are for illustration purpose only.
- Products and specifications are subject to change without notice.
- The system must be installed in accordance with the installation instructions provided in the user's manual.
- If the system is to be installed in an unsheltered location, it must be fitted with a Weathershield (supplied with unit).



Available from:



WARRANTY



REVIEWS